[11] Patent Number:

5,073,545

[45] Date of Patent:

Dec. 17, 1991

[54] AGENT CONTAINING AN ELLAGIC ACID SERIES COMPOUND FOR EXTERNAL APPLICATION AND USE THEREOF

[75] Inventors: Masatoshi Arima, Odawara; Hiroaki Nishizawa, Fujisawa; Keiji Takeuchi, Tokyo; Hiroshi Deura, Yotsukaidou; Keiichiro Ishida, Tokyo, all of Japan

[73] Assignee: Lion Corporation, Tokyo, Japan

[21] Appl. No.: 202,321

[22] Filed: Jun. 6, 1988

[58] Field of Search 549/278; 536/4.1, 18.1; 514/25, 27, 53, 453; 424/195.1

[56] References Cited

U.S. PATENT DOCUMENTS

3,576,007	4/1971	Hochstein 549/278
3,694,557	9/1972	Persinos 424/279
4,696,813	9/1987	Higa 424/59

FOREIGN PATENT DOCUMENTS

OTHER PUBLICATIONS

Murhtar et al., Chemical Abstracts, vol. 100(21), No. 169716g, "Protection against 3-methycholanthrene-induced skin . . . ".

Takahashi et al., "The components of the plants of Lagerstroemia genus", Chemical Abstracts, vol. 87(21), 1977, No. 164237e.

Chemical Abstracts, vol. 103, No. 7, Aug. 19, 1985, p. 464, No. 52695v, Columbus, Ohio, U.S.; M. K. Quinn et al.: "Isolation and identification of ellagitannins from

white oak wood and an estimation of their roles in wine".

Primary Examiner—Johnnie R. Brown
Assistant Examiner—Elli Peselev
Attorney, Agent, or Firm—Burns, Doane, Swecker &
Mathis

57] ABSTRACT

Agents for external application contain as an effective component ellagic acid series compounds represented by the general formula [I] or salts thereof:

wherein R_1 to R_4 are a hydrogen atom, an alkyl group having 1 to 20 carbon atoms, an alkoxy group having 1 to 20 carbon atoms, a polyalkylene oxide residue where the alkylene oxide unit has 2 to 3 carbon atoms, or a sugar residue represented by the formula [II]:

and R₅ is a hydrogen atom, a hydroxyl group or an alkoxy group having 1 to 8 carbon atoms.

10 Claims, No Drawings

5

AGENT CONTAINING AN ELLAGIC ACID SERIES COMPOUND FOR EXTERNAL APPLICATION AND USE THEREOF

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates to an agent for external application, particularly agent to be applied to the skin having excellent skin lightening and whitening effect for face care and body care and use thereof.

2. Description of the Prior Art

Cosmetics having a skin lightening and whitening effect are of very great interest to consumers, and there 15 have hitherto been used as effective components peroxides such as hydrogen peroxide, zinc peroxide and magnesium peroxide, ascorbic acid, glutathione, colloidal sulfur, and various natural substances. However, hydrogen peroxide and ascorbic acid have problems regarding stability, preservability, etc., and moreover it is hard to say that their effects are adequate. Further, glutathione and colloidal sulfur have a peculiar smell, which causes a problem when it is added to cosmetic composition.

Further, hydroquinone is used as a skin-decoloring agent in U.S.A., etc., but it has a problem in view of safety (irritating property and allergic property) when compounded into cosmetics.

Therefore, there have been developed various cos- 30 metics which do not have the above problems and can produce a skin lightening and whitening effect on the skin. There have been developed, for example, agents for external application using kojic acid and kojic acid derivatives [Japanese Patent Publication for Opposition 35 Purpose (hereinafter referred to as "J. P. KOKOKU") No. 56-18569, Japanese Patent Unexamined Published Application (hereinafter referred to as "J. P. KOKAI") No. 53-3538, and J. P. KOKOKU Nos. 61-60801, 58-22151 and 60-9722], cosmetics containing quercetin as an effective component (J. P. KOKAI No. 55-92305), cosmetics containing fatty acid esters of quercetin as effective components (J. P. KOKAI No. 58-131911), cosmetics containing catechin, etc. as effective components (J. P. KOKAI No. 52-44375), etc. However, in practical use, these entail various problems such that the stability of the fresh components is inadequate, because their effects are not adequately exhibited in animals and human beings even though their effects at the cell level 50 are noticeable.

SUMMARY OF THE INVENTION

It is, therefore, a primary object of the invention to provide an agent for external application such as cosmetics which are excellent in stability and safety and give a skin lightening and whitening effect.

Other objects of the invention are to provide use thereof for giving a skin lightening and whitening effect.

The invention has been completed based on the finding that ellagic acid series compounds have an excellent skin lightening and whitening effect, and moreover, when used in agent for external application such as cosmetics have no irritating or sensitizing properties 65 and have good stability over the lapse of time.

In accordance with the invention, there is provided an agent for external application comprising at least one of ellagic acid series compounds represented by the general formula [I]:

wherein R₁ to R₄ are a hydrogen atom, an alkyl group having 1 to 20 carbon atoms, an alkoxy group having 1 to 20 carbon atoms, a polyalkylene oxide residue where the alkylene oxide unit has 2 to 3 carbon atoms, or a sugar residue represented by the formula [II]:

and R₅ is a hydrogen atom, a hydroxyl group or an alkoxy group having 1 to 8 carbon atoms.

The present invention further provides use thereof for giving a skin lightening and whitening effect.

DETAILED DESCRIPTION OF THE INVENTION

Preferred ellagic acid series compounds among those of the general formula [I] used in the invention are ellagic acid where R_1 to R_5 are all hydrogen atoms and those where R_1 to R_4 are hydrogen atoms, methyl groups or ethyl groups and R_5 is a hydrogen atom, a hydroxyl group or a methoxy group. Salts of the above compounds can also be used in the invention, and include salts with alkali metals such as sodium and potasium, salts with alkali earth metals, ammonium salts, amine salts, etc., but salts where a part of phenolic hydroxyl groups has become an alkali metal salt are preferable in view of solubility and the like.

In order to adjust the lipophilic property or hydrophilic property of ellagic acid series compounds in preparation of cosmetics, there can be used compounds in which some of R₁ to R₄ in the formula [I] are long-chained alkyl or alkoxy groups or residues of alkylene oxide condensates such as polyoxyethylene wherein the alkylene groups have 2 to 3 carbon atoms. This applies similarly to R₅.

Specific examples of the above ellagic acid series compounds include ellagic acid, 3,4-di-0-methylellagic of acid, 3,3',4-tri-0-methylellagic acid, 3,3',4-tri-0-methylellagic acid, 3,3',4,4'-tetra-0-methyl-5-methoxyellagic acid, 3-ethyl-4-methyl-5-hydroxyellagic acid, Amritoside and various salts of these compounds, and mixtures of two or more thereof.

When an ellagic acid series compound of the above general formula [I] is an acidic substance in the invention, a part of the acid is neutralized with an alkali metal in form of hydroxide, carbonate or the like, and use of

4

thus obtained salt brings about enhancement of water dispersibility, eliminates the problem of bad dispersibility in preparation of agents for external application, and brings about the advantages that the products are excellent in appearance and preservability and better in skin lightening and whitening effect. Such a partially neutralized salt is desirably obtained by dissolving ellagic acid in an aqueous solution of pH 12 to 14, preferably of an alkali metal hydroxide, adjusting the pH to 5 to 8 with an acid (either an inorganic acid or an organic acid 10 can be used, but sulfuric acid is preferable in view of after-treatment) and collecting the partially neutralized salt as the precipitate. Even when ellagic acid of low purity is used, impurities such as tannin are effectively removed from obtained partially neutralized salts by 15 this method, and therefore thus obtained salts have good appearance and a color tone free of black tincture. If insoluble matters are observed when ellagic acid is dissolved in the above aqueous alkali metal solution, it is desirable to remove them by a conventional method 20 such as filtration or centrifugation. Further, when ellagic acid of a low purity is used, it is desirable to remove the impurities in advance by adsorption treatment on active carbon, etc.

These ellagic acid series compounds can readily be 25 obtained according to, for example, the method described in J. P. KOKOKU No. 53-14605 from natural substances such as Eucalyptus cortex, Arctostaphylos uva-ursi folium, Granati cortex, Phyllanthus emblica fructus, Sapium sebiferum folium, Rhus chinensis folium, 30 Acacia catechu, Platycarya strobilacea cortex, Terminalia chebula cortex, Camptotheca acuminata radix, Polygonum bistorta rhizoma, Lagerstroemia subcostata folium, Sapium discolor rhizoma, Sapium discolor folium, Bischofia javanica radix, Lythrum salicaria herba, Geranium 35 pratense rhizoma, Euphorbia hirta herba, Phyllanthus urinaria herba, Eucalyptus citriodora folium, Euphorbia royleana, Psidium guajava fructus, Psidium guajava cortex, Mangifera indica fructus, Cynips gallae tinctoriae, Syzygium cumini semen, Syzygium cumini cortex, Phyl- 40 lanthus emblica radix, Phyllanthus emblica cortex, Phyllanthus emblica folium, Agrimonia pilosa radix, Psidium guajava folium, Sapium sebiferum cortex, Lagerstroemia indica radix, Phyllanthus urinaria herba and Geranium herha.

Ellagic acid series compounds used in the invention widely exist in natural substances, and are thought to have very high safety. However, by way of precaution, safety of the compounds was examined, and as a result it has been ascertained that there are no particularly 50 noticeable practical problems in acute toxicity, skin-irritating property, skin-sensitizing property, mutagenic property, etc., and thus these compounds have high safety.

Ellagic acid series compounds in the invention as the 55 essential component is used in an amount effective for giving a skin lightening and whitening effect and the amount depends on product form and frequency of use, but the compounds are made to be contained in various cosmetics usually in an amount of 0.001 to 20 weight % 60 (hereinafter abbreviated as %), preferably in an amount of 0.005 to 5%.

The agents for external application of the invention can contain at least one additive conventionally used for external preparations.

For example, in order to further disperse ellagic acid series compounds, basic amino acids such as arginine or monosaccharides such as glucose can be added in an amount of 0.001 to 30%, preferably 0.005 to 20% in the invention. Further, besides the above components, there can be compounded in agents for external application of the invention raw materials ordinarily used in cosmetic, soaps or bath agents, for example, oils, water surfactants, humectants, lower alcohols, thickeners, antioxidants, chelating agents, pH-adjusting agents, antiseptics, perfume, coloring matters, ultraviolet absorbers, vitamins, amino acids, etc.

Specifically, examples of usable oils include fats and oils such as olive oil, Jojoba oil, castor oil, cacao butter, tsubaki oil, coconut oil, Japan wax, grapeseed oil, avocado oil, mink oil, egg yolk oil and hardened oils; waxes such as spermaceti, beeswax, lanolin, carnauba wax and candelilla wax; hydrocarbons such as liquid paraffin, ceresine, squalane, microcrystalline wax, paraffin wax and vaseline; fatty acids such as stearic acid, oleic acid, lauric acid, myristic acid, isostearic acid and behenic acid; alcohols such as cetanol, stearyl alcohol, lauryl alcohol, octyldodecanol and hexyldecanol; esters such as isopropyl myristate, butyl stearate, isopropyl palmitate, octyldodecyl myristate, octyldodecyl oleate and cholesterol oleate; and the like. Further, as usable surfactants, there can be mentioned amionic surfactants such as sodium stearate, sodium cetyl sulfate, polyoxyethylene lauryl ether phosphate, sodium lauryl phosphate, triethanol palmitate and sodium N-acylglutamate; cationic surfactants such as stearyldimethylbenzylammonium chloride and stearyltrimethylammonium chloride; ampholytic surfactants such as alkylaminoethylglycine hydrochloride solution and lecithin; nonionic surfactants such as glycerin monostearate, sorbitan monostearate, sucrose fatty acid esters, propylene glycol monostearate, polyoxyethylene oleyl ether, polyethylene glycol monostearate, polyoxyethylenesorbitan monopalmitate, polyoxyethylene coconut fatty acid monoethanolamide, polyoxyethylenepolyoxypropylene glycol, polyoxyethylene castor oil and polyoxyethylene lanolin; and the like. As humectants, there can be mentioned polyhydric alcohols such as glycerin, 1,3-butylene glycol, propylene glycol, sorbitol, polyethylene glycol and dipropylene glycol; NMF compounds such as amino acids, sodium lactate and sodium pyrrolidonecarboxylate; water soluble high molecular substances such as hyaluronic acid, collagen, mucosaccharides and chondroitin sulfate; and the like. As lower alcohols, there can be mentioned ethanol, isopropanol, etc. As thickeners, there can be mentioned natural high molecular substances such as sodium alginate, xanthane gum, aluminum silicate, quince seed extract, tragacanth gum and starch; semisynthetic high molecular substances such as methylcellulose, hydroxyethylcellulose, carboxymethylcellulose, soluble starch and cationized cellulose; synthetic high molecular substances such as carboxyvinyl polymers and polyvinyl alcohol; and the like. Usable antioxydants include dibutylhydroxytoluene, butylhydroxyanisole, propyl gallate and ascorbic acid; chelating agents include disodium edetate, ethane hydroxy diphosphate, pyrophosphates, hexametaphosphates, citric acid, tartaric acid and gluconic acid; pHadjusting agents include sodium hydroxide, triethanolamine, citric acid, sodium citrate, boric acid, borax and disodium hydrogen phosphate; and antiseptics include methyl p-oxybenzoate, ethyl p-oxybenzoate, dehydroacetic acid, salicylic acid, benzoic acid, sorbic acid and benzalkonium chloride. Further, usable ultraviolet absorbers include 2-hydroxy-4-methoxybenzophenone, octyl p-dimethylaminobenzoate, ethylhexyl p-methoxy-

cinnamate, titanium oxide, kaolin and talc; vitamins include vitamin A, vitamin B, vitamin C, vitamin D, vitamin E, vitamin F, vitamin K, vitamin P, vitamin U, carnitine, ferulic acid, y-oryzanol, a-lipoic acid and orotic acid and their derivatives; and amino acids in- 5 clude glycine, alanine, valine, leucine, isoleucine, serine, threonine, phenylalanine, tyrosine, tryptophan, cystine. cysteine, methionine, proline, hydroxyproline, aspartic acid, glutamic acid, arginine, histidine and lysine and their derivatives. Optional components are not limited 10 to those listed.

The agents for external application of the invention can be used in various product forms such as toilet water, cream, packing agent, lotion, skin milk and liquid cream, where the above essential component(s) and 15 optional components are properly compounded.

There can specifically be mentioned as toilet waters compositions containing 0.01 to 2% essential component(s) of the invention 2 to 10% lower alcohol(s), 0.5 to 1% surfactant(s), 3 to 7% humectant(s), 0.05 to 20 0.2% pH-adjusting agent(s), 80 to 95% purified water, antiseptics (trace amount), coloring matter(s) (trace amount) and perfume(s) (trace amount); as skin creams compositions containing 0.01 to 2% essential component(s), 20 to 70% oil(s), 2 to 7% surfactant(s), 5 to 25 10% humectant(s), 11 to 73% purified water, antiseptic(s) (trace amount) and perfume(s) (trace amount); as lotions compositions containing 0.01 to 2% essential component(s), 5 to 10% lower alcohol(s), 0.5 to 2% surfactant(s), 2 to 8% humectant(s), 0.01 to 0.05% anti- 30 oxidant(s), 0.02 to 0.1% chelating agent(s), 0.1 to 1% pH adjusting agent(s), 77 to 92% purified water, antiseptic(s) (trace amount) and perfume(s) (trace amount); as skin milks compositions containing 0.01 to 2% essential component(s), 20 to 40% oil(s), 2 to 5% 35 surfactant(s), 53 to 78% purified water, antiseptic(s) (trace amount) and perfume(s) (trace amount); and as liquid creams compositions containing 0.01 to 2% essential component(s), 10 to 30% oil(s), 1 to 5% surfactant(s), 5 to 10% humectant(s), 53 to 84% purified wa- 40 oring matter(s) (trace); as body shampoos compositions ter, antiseptics (trace amount) and perfume(s) (trace amount).

When the agents for external application of the invention are used as bath agents, there can further be added, besides the above components, at least one inorganic 45 salt or inorganic acid such as sodium chloride, potassium iodide, ammonium chloride, sodium sulfate, sodium bicarbonate, sodium carbonate, sodium sesquicarbonate, aluminum sulfate, potassium sulfide, potassium sulfate, boric acid, borax, silicon dioxide, metasilicic 50 acid, sodium sulfite, phosphoric acid, sodium hydrogenphosphate, potassium dihydrogenphosphate, sodium silicate, sodium polyphosphate, calcium hydrogenphosphate and sodium phosphate. Further, as necessary, there can be added, besides the above components, at 55 least one of galenicals, binders, essential oils, protease and other components. These components are specifically exhibited below.

Galenicals

Atractylodes, Atractylodis Rhizona, Valerian, Nepetae Herba, Magnolia bark, Cnidium, Bitter orange pool, Japanese angelica root, Ginger, Scutellaria, Gardenia, Artemisia vulgaris var. vulgatissima (and var. indica), Aloe, Ginseng, Cinnamon bark, Peony root, Japanese 65 peppermint leaf, Scutellaria, Hoelen, Japanese iris, Schizandra nigra Maxim, Angelicae Dahuricae Radix (Paichi), Saffon, Cork tree bark, Fennel, Aurantii Nobilis

Pericarpium, Lychnis coronata Thumb, Matricaria chamomilla L., Chinese radish, willow, camphor tree, elderberry, Sambucus zavanica Reinw, Fatsia japonica, Acorus gramineus Soland, mugwort, Hypericum erectum Thunb, citron, bitter orange, peach, honey locust, loquat, Lonicera japonica Thunb, Angelica dahurica, bo tree, horse chestnut, milfoil, hop, rosemary, Gracilaria textorii suringar, pine, Lantana camara L., Licorice, Valerianae japonicae Radix, horse chestnut, etc. These may be in the form of either powder or extract.

Binders

Casein, carboxymethylcellulose sodium, water soluble gelatin, pectin, starch, methylcellulose, ethylcellulose, sodium alginate, polyvinyl alcohol, polyvinylpyrrolidone, polyvinylmethyl ether, polyethylene glycol, Karaya gum, Locust bean gum, tragacanth gum, carrageenan, Carbopol ®, acacia gum, agar.

Essential Oils

Japanese peppermint oil, jasmine oil, camphor oil, hinoki oil, tohi oil, turpentine oil, cinnamon oil, bergamot oil, mandarin oil, iris oil, pinneapple oil, lavender oil, bay oil, clove oil, hiba oil, rose oil, eucalyptus oil, lemon oil, thyme oil, peppermint oil, rosemary oil, sage oil, menthol, cineole, eugenol, citral, citronellal, borneol, linaloe oil, geraniol, camphor, thymol, spilanthole, pinene, limonene, terpane series compounds, etc.

Protease

Pepsin, trypsin, chymotrypsin, cathepsin, papain, protaminase, ficin and proteases derived from bacteria, yeasts and molds, etc.

Agents for external application containing the above components include as bath agents compositions containing 0.02 to 10% to essential component(s), inorganic salt(s), inorganic acid(s) (balance), perfume(s) and colcontaining 0.02 to 10% essential component(s), 5 to 40% surfactant(s), 1 to 20% humectant(s), 0.5 to 5% thickener(s), 0.05 to 0.5% chelating agent(s), purified water (balance), perfume(s) and coloring matter(s) (trace; and as body rinses compositions 0.02 to 10% essential compoent(s), 5 to 30% oil(s), 0.5 to 5% surfactant(s), 0.1 to 10% humectant(s), purified water (balance), antiseptic(s) (trace) and perfume(s) (trace).

The agents for external application having much better skin lightening and whitening effect than ordinary products and also having extremely high safety are provided according to the present invention.

The agents for external application free from bad dispersion and having an excellent product appearance and stability in preservation are provided according to the invention directed to use of alkali metal salt of the ellagic acid series compound.

Thus, the agents for external application of the invention can suitably be used, especially as agent to be applied to in various product forms such as various cosmetics creams, liquid creams, toilet waters, beauty essences, packs, powders, lip creams, lipsticks, under makeups, foundations, suncares, bath agents, body shampoos, body rinses, soaps, cleansing foams, ointments, jelly agents and aerosols.

The present invention is explained below by nonlimitative examples.

EXAMPLE 1

Toilet waters containing 1% of the respective components in Table 1, 50% of ethanol and the balance of pure water were prepared, and decoloring effect was 5 tested according to the following method. The results are shown in Table 1.

Decoloring Effect Test

The hair was removed from the back of colored 10 guinea pigs (each group consisting of 3 animals), and 50μ l of the toilet waters were respectively applied once a day, 5 times a week, to the area of about 4 cm² for 3 weeks. Four days after the end of the treatment, skin color was measured by a color-difference meter.

TABLE 1

	Component	Before the test	After the test	
Product of	Ellagic acid	36.1	45.4	•
the invention	3,4-Di-O-methylellagic acid	36.1	44.0	20
Comparative	Quercetin	36.1	41.0	
example	Catechin	36.1	40.0	
	Kojic Acid	36.1	42.5	
	<u></u>	36.1	36.1	

Values in the table mean L values (brightness), and it is meant that the greater the value, the whiter the skin.

It is seen from the result shown in Table 1 that the toilet waters of the invention containing the ellagic acid series compounds have a better decoloring effect than the toilet waters respectively containing quercetin, catechin and kojic acid.

EXAMPLE 2

Creams respectively having the compositions shown in Table 2 were prepared and applied respectively onto pigment macula parts of 5 human beings having pigment maculas (blotch) 2 to 3 times a day for one month, and then the brightness of the pigment macula parts was measured by a color-difference meter. The results are shown in Table 2.

EXAMPLE 3

Preparation of an Alkali Metal Salt of Ellagic Acid

Commercially available ellagic acid (manufactured by Tokyo Kasei Kogyo Co., Ltd.) (25.6 g) was stirred and dispersed in 500 g of purified water, 500 g of 1N-sodium hydroxide was added to make a solution, 5 g of active carbon was added thereto, and the mixture was stirred at room temperature for 30 minutes. The resulting suspension was filtered under reduced pressure to obtain a reddish brown supernatant, to which was dropwise added concentrated sulfuric acid to adjust the pH to 7.0, whereby a precipitate was deposited. The precipitate was collected using a high speed centrifugal separator (8000 rpm, 5 minutes), washed successively with water and ethanol, and dried to obtain 24.8 g of sodium ellagate.

Cosmetic Cream

Alkali metal salts of ellagic acid having different pH values were prepared respectively in a similar manner to that described above, and their water dispersibility, and appearance and stability over a day's lapse were evaluated in creams into which these compounds had been compounded. Water dispersibility was evaluated using the 1% aqueous solutions, and evaluation of the creams was carried out with adjustment of pH to 5.5 to 6 with citric acid and sodium citrate. The composition of the cosmetic creams was as follows:

Cream Composition

5.0 weight % liquid paraffin (#70), 15.0% squalane, 5.0% cetostearyl alcohol, 2.0% beeswax, 2.0% glycerin monostearate, 2.0% POE (20) sorbitan monolaurate, 0.1% propylparaben, 0.2% methylparaben, 0.5% ellagate, purified water (balance), perfume (appropriate amount).

TABLE 3

		IADLL	
0	Ellagate	Water	Change in

TABLE 2

·····	Сотропели	Product I of the invention	Product II of the invention	Comparative example
Composition	Ellagic acid	0.25%		-
	3,4-Di-O-methylellagic acid	_	0.25%	_
	Stearic acid	2.5	2.5	2.5%
	Cetanol	1.5	1.5	1.5
	Vaseline	5.0	5.0	5.0
	Liquid paraffin	10.0	10.0	10.0
	Polyethylene glycol 1500	3.0	3.0	3.0
	Glycerin	1.0	1.0	1.0
	Antiseptic	Trace	Trace	Trace
	Perfume	Trace	Trace	Trace
	Purified water	Balance	Balance	Balance
Performance	Before the test	44.5	44.4	44.5
	After the test	50.0	48.0	44.1

Values in the table near brightness.

It is seen from the results of Table 2 that the ellagic acid and 3,4-Di-0-methylellagic acid-compounded creams clearly reduced the pigment maculas as compared with the cream not containing these compounds (comparative example). No irritating property or allergic reaction was observed for the products of the invention.

		Treatment pH	dispersibility	appearance
60	Sodium ellagate	6	Uniformly dispersed	No change
	3	7	Uniformly dispersed	No change
		9	Uniformly dispersed	The upper layer of the cream
65			•	got discolored to brown with day lapse
	Potassium ellagate	5	Uniformly dispersed	No change

TA	Вī	F	٦.	COL	tini	ıed

				_
Eliagate		Water	Change in	
	Treatment pH	dispersibility	appearance	
·	8	Uniformly dispersed	No change	5

As is seen from Table 3, the alkali metal salts of ellagic acid as obtained by collecting the precipitates with adjustment of pH to 5 to 8 have a good water dispersibility, and are excellent in stability with day's lapse after compounding into the products.

EXAMPLE 4

In order to demonstrate improvement in fresh effect, 15 pigment deposits were made on the backs of Fl guinea pigs by UVB irradiation, and cosmetic creams were applied onto these parts to investigate the reducing effect on the pigment deposit.

The test method was as follows:

(1) The same creams as prepared in Example 3 were used except that ellagates were compounded in an amount of 1% respectively. The pH of the creams was adjusted to 5.0 to 5.5.

(2) Test of reducing effect on the pigment deposit

The hair on the backs of Fl guinea pigs (each group consisting of 5 animals) was cut. The resulting backs were irradiated with UVB (ultraviolet ray) of ½ MED amount once a day for one week. After deposit of pigment, the backs were daily coated respectively with 0.1 g of the creams in the area of about 4 cm² once a day for 5 weeks, and changes in the skin color were measured by a color-difference meter (L value). The results are shown in Table 4.

-continued

Perfume	trace
Purified water	balance
Toilet water 2	
3-Ethyl-4-methyl-5-hydroxyellagic acid	0.1%
Glycerin	4.0
Ethanol	10.0
Carboxyvinyl polymer	0.5
Perfume	trace
Purified water	balance
Toilet water 3	٠.
Sodium ellagate	0.05%
Glycerin	. 3.0
Ethanol	6.0
Perfume	trace
Purified water	balance
Toilet water 4	
A. Ethyl alcohol phase part	
Ethyl alcohol	10.0%
POE(80) hardened castor oil	· 0.3
Tocopherol	0.1
Methylparaben	0.1
Perfume	appropriate
	amount
B. Water phase part	
Potassium ellagate (treated pH 5)	0.05%
Glycerin	3.0
Purified water	balance

Toilet water was prepared by making a uniform solution consisting of the above prescription A, and adding the solution by portions to the water phase B with stirring.

Emulsion 1

A. Oil phase part

TABLE 4

			- '			
	Sample			L value before the test	the	e 5 weeks reafter nent degree)
Comparative Example	No UVB irradiation, cream type coating (Control)			33.2	33.6	
	UVB	Non Coating with cream		25.3	28.0	Δ2.7
	irradiation	Coating with cream (no compounding of ellagic acid)		25.9	30.6	Δ4.7
Product of		Ellagic acid	•	25.8	31.9	Δ6.1
the invention		Sodium ellagate	pH 5 treated product	25.5	32.6	△7.1
the myenion			pH 7 treated product	25.5	33.7	Δ8.2
			pH 8 treated product	25.3	33.1	∆7.8
		Potassium ellagate	pH 6 treated product	25.7	33.2	Δ7.5

Note) Values in the table mean L values (brightness), and it is meant that the larger the value, the whiter the skin.

It is seen from the results in Table 4 that the creams of the invention where the alkali metal salts of ellagic acid were compounded clearly have an embraced L value as compared with the creams where no such salt was compounded or ellagic acid itself was compounded, and are superior to the latter creams in reducing effect on pigment deposit.

EXAMPLE 5

Various external preparations of the invention are illustrated below.

Toilet water 1		
3.3'.4-tri-O-methylellagic acid	0.1%	
Glycerin	4.0	
Ethanol	10.0	
Carboxyvinyl polymer	0.5	

Liquid paraffin (#70)	10.0%
Isopropyl myristate	2.0
Glycerin monostearate	0.5
Stearic acid	2.0
POE(20) stearyl alcohol	0.7
Glycyrrhetinic acid	0.1
Butylparaben	0.1
B. Water phase part	
Sodium ellagate (treated pH 6)	0.5%
Glycerin	2.0
Carbopol ® 941	0.1
Ethanol	10.0
Methylparaben	0.1
Purified water	balance
C. Perfume	appropriate
	amouni

The above compositions A and B were respectively mixed at 70° C. to make solutions, and then A was added to B and the mixture was uniformly emulsified.